

Gorilla Mind LLC  
 [Redacted]  
 [Redacted]

 Certificate ID # : 1348822-2  
 Report Date: 06-19-2025  
 Customer PO # : GM 0126  
 Receipt Date: 06-12-2025  
 Sample Completion Date: 06-19-2025

## Analytical Testing Results

 Lab Sample ID: S-20250612-3231  
 Customer Lot # 25052030

 Serving Size: 1 Capsule(s)  
 Calculated Serving Size: 0.4781650000 g

Description: Rauwolscine

Test Method Description	Analyte	Specification	Result	U/M	Completion Date
GL-626 Determination of alpha-Yohimbine (Rauwolscine) by UPLC	alpha-Yohimbine	2.7 - 3.3	3.09	mg/Serv	06-19-25

### Laboratory Comments:

N/A

 Reviewed By: Jaydon Rasmussen

 Approved By: 

 Date: 06-19-2025

Les Reeves, Laboratory Director

On Behalf of Dyad Labs

### Laboratory Notes:

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.

Microbiology test location: Cypress, CA Laboratory, 6360 Gateway Drive, Cypress CA 90630

\* - ISO/IEC 17025:2017 Accredited test, PJLA Testing Accreditation # 71216