

Gorilla Mind LLC

Certificate ID # : 1339205-2  
Report Date: 05-21-2025  
Customer PO # : GM0103  
Receipt Date: 04-11-2025  
Sample Completion Date: 05-21-2025

## Analytical Testing Results

Lab Sample ID: S-20250409-3126  
Customer Lot # 2025-25497Serving Size: 5 Capsule(s)  
Calculated Serving Size: 3.6920500000 g

Description: Gorilla Mind Capsules

| Test Method Description | Analyte     | Specification | Result | U/M     | Completion Date |
|-------------------------|-------------|---------------|--------|---------|-----------------|
| Huperzine A by LC-MS/MS | Huperzine A | 90 - 110      | 90.1   | µg/Serv | 04-23-25        |

### Laboratory Comments:

N/A

Reviewed By: Jaydon Rasmussen

Approved By:



Les Reeves, Laboratory Director

On Behalf of Dyad Labs

Date: 05-21-2025

### Laboratory Notes:

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.

\* - ISO/IEC 17025:2017 Accredited test, PJLA Testing Accreditation # 71216