

Gorilla Mind LLC
391 N Ancestor Pl Ste 150

Boise, ID, 83704

Certificate ID # : 1358519-1
Report Date: 07-22-2025
Customer PO # : GM0115
Receipt Date: 06-04-2025
Sample Completion Date: 07-22-2025

Analytical Testing Results

Lab Sample ID: S-20250519-5470
Customer Lot # 25050764Serving Size: 19.9 g
Calculated Serving Size:

Description: Mode 2.0 Orange Rush

Test Method Description	Analyte	Specification	Result	U/M	Completion Date
GL-608 Determination of Malic Acid by UPLC	Malic Acid	1350 - 1650	1610	mg/Serv	06-11-25

Laboratory Comments:

N/A

Reviewed By: Jaydon Rasmussen

Approved By:



Les Reeves, Laboratory Director

On Behalf of Dyad Labs

Date: 07-22-2025

Laboratory Notes:

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.

Microbiology test location: Cypress, CA Laboratory, 6360 Gateway Drive, Cypress CA 90630

* - ISO/IEC 17025:2017 Accredited test, PJLA Testing Accreditation # 71216