

Gorilla Mind LLC

Certificate ID # : 1112694-3
Report Date: 04-14-2023
Customer PO # : GM 0026
Receipt Date: 12-27-2022
Sample Completion Date: 04-14-2023

Analytical Testing Results

Lab Sample ID: S-20221220-4931

Customer Lot # 2209013

Serving Size: 1 Scoop (15.61 g)

Calculated Serving Size:

Description: Mode Cherry Blackout

| Test Method Description | Analyte | Specification | Result | U/M | Completion Date |
|--|------------|---------------|--------|---------|-----------------|
| GL-608 Determination of Malic Acid by UPLC | Malic Acid | 1500 Min | 1510 | mg/Serv | 01-12-23 |

Laboratory Comments:

*Blending batch record provided by client and reviewed by Dyad Labs. Manufactured Date (provided by client): 10/2022, Expiration Date (provided by client): 10/2024.

Reviewed By: Sabrina Walton

Approved By: 

Date: 04-14-2023

Edgar Grigorian, Laboratory Director

On Behalf of Dyad Labs

Laboratory Notes:

Samples were received in acceptable condition unless otherwise noted in the laboratory comments section. This report may not be distributed or reproduced except in full, without written permission from Dyad Labs. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. All work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on www.dyadlabs.com/Terms. ISO/IEC 17025:2017 accreditation #71216, certificate #L21-39. The validity of this accreditation certificate should be confirmed through the PJLA website: www.pjla.com.

* - ISO/IEC 17025:2017 Accredited Test